

**90cm canopy rangehood in dark stainless steel with an external motor installed inside the ceiling space for quieter operation, baffle filter and Hob2Hood. The model consists of 2 components, a rangehood DBR9980HB and a motor DR09.**



## Product Details

### FEATURES

---

Quiet Offboard Motor	Baffle filter	Hob2Hood Hob2Hood automatically adjusts your hood settings so you can focus on creating delicious dishes.	775m3/hr extraction power
LED lighting	Breeze function	Dark stainless steel finish	4 fan speeds
Dishwasher-safe filters			

### BENEFITS

---

#### QUIETER EXTRACTION

Ensure your rangehood is whisper quiet with an external rooftop motor. Installing the motor on the roof of your home and then venting externally, provides you with a quiet and more enjoyable cooking experience, without compromising on power.

#### HIGH PERFORMANCE FILTER SYSTEM

The durable stainless steel baffle filter efficiently extracts vapours, absorbs odours, and filters grease to prevent build-up and optimise the airflow in your kitchen. Its easy to remove and is also dishwasher safe.

#### A FRESHER KITCHEN. HANDS-FREE.

The wireless Hob2Hood function automatically adjusts your hood settings based on what you are cooking, leaving your hands free to focus on the food. The hood lights will automatically illuminate when your hob turns on and the fan speed will adjust depending on how powerfully you are cooking with the hob. The hood can also be controlled manually if you would prefer.

#### POWERFUL EXTRACTION

Whether you are searing steaks or wilting spinach, its important to maintain clean and fresh air in your kitchen while cooking. With a 775m3/hr extraction rate, this hood quickly removes vapours so you can enjoy cooking without distraction.

## PERFECTLY ILLUMINATED SURFACES

Bright LED lighting clearly illuminates your hob and is also more energy efficient and environmentally friendly than traditional halogen lighting.

## SO EASY TO CLEAN

For an extractor to work efficiently the filters need to be clean and free from the cooking grease that builds up over time. All AEG filters are dishwasher-safe, making cleaning as simple as possible, whilst also being better for the environment than single use filters.

---

## Specifications

### PRODUCT PROFILE

---

Domestic warranty details (yrs)	5
---------------------------------	---

---

Type of Rangehood	wall mounted canopy
-------------------	---------------------

---

Nominal width (cm)	90
--------------------	----

---

Finish of Rangehood	Dark stainless steel
---------------------	----------------------

---

### MOTOR/FAN

---

Number of fans	1
----------------	---

---

Number of fans speeds	4
-----------------------	---

---

Auto off	Yes
----------	-----

---

Type of motor	centrifugal
---------------	-------------

---

Perimeter extraction	Yes
----------------------	-----

---

Auto fan timer	Yes
----------------	-----

---

Maximum airflow M3/Hr	775
-----------------------	-----

---

Number of motors	1
------------------	---

---

Wattage of motor	340
------------------	-----

---

### DIMENSIONS

---

Total product height (mm)	1210
---------------------------	------

---

Total product width (mm)	898
--------------------------	-----

---

Total product depth (mm)	460
--------------------------	-----

---

### POWER

---

Connection plug	10
-----------------	----

---

## DIMENSIONS

Diameter of ducting (mm)	150
Minimum installation height from cooking surface Gas (mm)	650
Minimum installation height from cooking surface Electric (mm)	600
Maximum canopy chimney height (mm)	1150
Flue cover depth (mm)	260
Flue cover width (mm)	300
Telescopic flue	Yes

## CONTROLS

Control panel	touch on glass controls
Safety/ display indicators	clean filter indicator,automatic safety cut off,automatic timer control
Hob2Hood function	Yes

## LIGHTS

## FILTERS

Number of filters	3
Type of filter	stainless steel baffle
Dishwasher safe	Yes

## DUCTING / RECIRCULATION

## LIGHTS

Number of lights	2
Wattage of light	2.2
Type of light	LED

## DUCTING / RECIRCULATION

Ducting	optional accessory
Top or rear duct hole	top
Recirculation option	No
Recirculation kit	no
Front recirculating option	No
Optional extension flue	Yes
Ducting diameter (mm)	150

## SHIPPING

Shipping Volume (m3)	0.388
Shipping Weight (Kg)	29
Product Weight (Kg)	24
Pack Dimensions Height (mm)	590
Pack Dimension Width (mm)	1462
Pack Dimension Depth (mm)	450

## Terms and Conditions

### IMPORTANT

This is a guide of product dimensions only. For complete installation instructions, refer to the manual provided with product.

### PRODUCT INFORMATION

The descriptors and illustrations in this publication apply to the specific products and models described as at the date of issue. Under our policy of continuous product development, product specifications may change without notice. Prospective purchasers should therefore check with their retailer to ensure this publication correctly describes the products that are being offered for sale. All information supplied is to be used for general reference purposes only and is on the understanding that Electrolux Home Products Pty Ltd (Australia) and Electrolux (NZ) Ltd (New Zealand) will not be liable for any loss, liability or damage of whatever kind arising as a result of reliance on such information. Colours of products illustrated are as close as printing limitations allow. Electrolux will at all times comply with its obligations pursuant to law including Trade Practices (Australian Consumer Law) Act and Regulations.

### WARRANTY

Electrolux Home Products warrants that for domestic applications the AEG appliances featured are free from defects in materials and workmanship for 5 years (3 months warranty for commercial applications). All warranties are subject to the conditions set out in the warranty card accompanying the product when purchased.

#### ELECTROLUX HOME PRODUCTS AUSTRALIA

telephone: 1300 363 664

fax: 1800 350 067

email: [customercare@aegaustralia.com.au](mailto:customercare@aegaustralia.com.au)

web: [www.aeg.com/au](http://www.aeg.com/au)

#### ELECTROLUX HOME PRODUCTS NEW ZEALAND

telephone: 0800 10 66 10

fax: 09 573 2221

email: [customercare@electrolux.co.nz](mailto:customercare@electrolux.co.nz)

web: [www.aeg.com/au](http://www.aeg.com/au)