
Mecca Basin/Bath Spout Only






Versions:202401

Drawing





Specifications

WM-060073

Min 150kpa - Max 500kpa

Watermark License

Temperature Rating

Min 1°C-Max 75°C

Pressure Rating

Packaging Includes

1x Spout 1x Plate

Finish & SKU

Chrome

NR221903c(120/160/185/230/260)CH


- NR221903c(120/160/185/230/260)MB
- Brushed Bronze
- NR221903c(120/160/185/230/260)BZ
- NR221903c(120/160/185/230/260)MW
- NR221903c(120/160/185/230/260)GM
- Brushed Gold NR221903c(120/160/185/230/260)BG
- Brushed Nickel
 - NR221903c(120/160/185/230/260)BN

^{*}Dimensions are nominal measurements only.






Cut off the G1/2 outlet thread to flush with the finished wall surface.



STEP 2

Turn the G1/2 spout adapter onto the outlet thread, and ensure to place the rubber washer inside, as shown in the figure.



- o Fit the back plate onto the spout adapter.
- o Place the ABS washer against the backplate.
- o Push in the spout onto spout adapter, tighten two grub screws firmly on the underside of the spout with the Allen key. (Don't over tighten)

Mecca Basin/Bath Spout Only - Manual

Nero

