



Bianca Fixed Basin/Bath
Spout Only 200mm

Nero




Versions:202401


Drawing	Specifications	Packaging Includes						
	Watermark License WM-060073 Temperature Rating Min 1°C-Max 75°C Pressure Rating Min 150kpa - Max 500kpa	1x Spout 1x Plate						
	Finish & SKU <table><tr><td> Chrome NR321503CH</td><td> Gun Metal NR321503GM</td><td> Brushed Nickel NR321503BN</td></tr><tr><td> Matte Black NR321503MB</td><td> Brushed Gold NR321503BG</td><td></td></tr></table>	 Chrome NR321503CH	 Gun Metal NR321503GM	 Brushed Nickel NR321503BN	 Matte Black NR321503MB	 Brushed Gold NR321503BG		
 Chrome NR321503CH	 Gun Metal NR321503GM	 Brushed Nickel NR321503BN						
 Matte Black NR321503MB	 Brushed Gold NR321503BG							

*Dimensions are nominal measurements only.


Installation Instruction



STEP1:
Cut off the G1/2 outlet thread, ensure the outlet thread needs 0-7mm protrude out of the finished wall.



STEP 2
Turn the G1/2 spout adapter onto the outlet thread, and ensure to place the rubber washer inside, as shown in the figure.



STEP3:
o Fit the back plate onto the spout adapter.
o Place the ABS washer against the backplate.
o Push in the spout onto spout adapter, tighten two grub screws firmly on the underside of the spout with the Allen key. (Don't over tighten)

NOTE: Please level the spout to avoid residual water.

Nero

info@nerotapware.com.au
nerotapware.com.au

11-13 Buontempo Road
Carrum Downs Vic 3201

