

Please check actual product in box for bracket type used (Hardwire)

PRODUCT CODE

GAR70D

ARCH 700


LED MIRROR

SPECIFICATIONS	
WIDTH	700mm
HEIGHT	1000mm
DEPTH	35mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS	
ССТ	2700K - 6500K
CRI	>80

INSTALLATION	
Wall Mount	
Hardwire	
Input Voltage: 220-240v 50Hz	

FEATURES
Copper Free Mirror
LED Lighting
(Adjustable Colour Temperature)
Touch Sensor
Demister with 1 Hour Auto Cut-off















Please check actual product in box for bracket type used (Plug/Hardwire)

PRODUCT CODE

GAR70D

ARCH 700


LED MIRROR

SPECIFICATIONS	
WIDTH	700mm
HEIGHT	1000mm
DEPTH	35mm
WEIGHT	11kg
ORIENTATION	Portrait

LIGHTING SPECIFICATIONS	
ССТ	2700K - 6500K
CRI	>80

INSTALLATION	
Wall Mount	
Plug or Hardwire	
Input Voltage: 220-240v 50Hz	

FEATURES	
Copper Free Mirror	
LED Lighting	
(Adjustable Colour Temperature)	
Touch Sensor	
Demister with 1 Hour Auto Cut-off	















Please check actual product in box for bracket type used (Hardwire)

ARCH 700

LED MIRROR WITH ALUMINIUM FRAME

SPECIFICATIONS	
WIDTH	705mm
HEIGHT	1005mm
DEPTH	40mm
WEIGHT	11kg
ORIENTATION	Portrait


FEATURES	
Copper Free Mirror	
LED Lighting	
(Adjustable Colour Temperature)	
Touch Sensor	
Demister with 1 Hour Auto Cut-off	

LIGHTING SPECIFICATIONS	
ССТ	2700K - 6500K
CRI	>80

INSTALLATION
Wall Mount
Hardwire
Input Voltage: 220-240v 50Hz

FINISH	PRODUCT CODE	
Baltic Brass	GAR70D-BI	В
Brits Nickel	GAR70D-BN	1
Cuban Bronze	GAR70D-CI	В
Georgian Metal	GAR70D-GA	٨

FINISH	PRODUCT CODE
Manhattan Black	GAR70D-MB
Milano White	GAR70D-MW
Nordic Gold	GAR70D-NG













PRODUCT CODE

GAR70D-MB

GAR70D-MW

GAR70D-NG



Please check actual product in box for bracket type used (Plug/Hardwire)

FINISH

Manhattan Black

Milano White

Nordic Gold

ARCH 700

LED MIRROR WITH ALUMINIUM FRAME

SPECIFICATIONS	
WIDTH	705mm
HEIGHT	1005mm
DEPTH	40mm
WEIGHT	11kg
ORIENTATION	Portrait

FEATURES	
Copper Free Mirror	
LED Lighting	
(Adjustable Colour Temperature)	
Touch Sensor	
Demister with 1 Hour Auto Cut-off	

LIGHTING SPECIFICATIONS	
ССТ	2700K - 6500K
CRI	>80

INSTALLATION	
Wall Mount	
Plug or Hardwire	
Input Voltage: 220-240v 50Hz	

	8 8 15	300
--	--------------	-----

PRODUCT CODE

GAR70D-BB

GAR70D-BN

GAR70D-CB

GAR70D-GM

FINISH

Baltic Brass

Brits Nickel

Cuban Bronze

Georgian Metal











